brookline place

presentation to the **Brookline Place Design Advisory Team**

September 15, 2014

1

brookline place

Presentation Outline

- I. Meeting Goals
- II. Site Concepts Building Massing & Landscape Studies

I. Meeting Goals

8/26 Meeting Notes

8/26/14 DAT MEETING #1

- BENCHES FOR PUBLIC
- . UNIQUE WELL DESIGNED SPACES
- · RELATIONSHIP B/T NEW BUILDINGS — EXPLORE PIFFERENCES — ADDITION AS SINGULAR?
- " TIE NORTH SIDE TO STATION ST
- " TWO SIDES OF ZBP-DIFF CONDITIONS
- · QUALTIPOF CONST. RELATES TO BROOKLING UILLAGE
- · THE UNIQUE INTEGRETY FOR 13P
- · SURPRISE IS GOOD
- · DESIGN FOR FLEXIBILITY
- · GEOMETRY IN SPACE THAT RELATES TO BUILDINGS



- "BUILDING AND LANDSCAPE AS CONPOSITIONS THAT RELATE
- · COHESIVE/BYG IDE/A ORGANIZING
- · LOWER PARTS OF BUILDINGS SHAPE SIEXPERIENCE OF SPACE
- · INTEGRATE LIGIATING IDEAS IN OVERALL SITE CONCEPT
- · UNDERSTAND WIND /SUN TO SHAPE BUILDING PERKES
- · NOT A BACKGROUND BUILDING
- · HOW TO RELATE EXISTING
 BUILDINGS TO OVERALL SITE
 CONCEPT
- · RELATE SIZE OF OPENSPACE TO PRECEDENTS (TOWN HALL,)
- * FOOD TRUCKS ADD DIVERSITY/ CHANGEABILITY

Key Points

- Overall site strategy Importance of a cohesive organizational idea
- Relationship between buildings and between landscape and buildings
- Crafting building edges and the pedestrian realm




9/15 Meeting Goals

- Establish DAT preferred site strategy
- Understand DAT preferred elements of building massing and landscape studies
- Explore design and programming of building edges & pedestrian realm



II. Site Concepts –


Building Massing & Landscape Studies

















Existing Conditions





Zoning Scheme





Zoning Scheme – View from SE








Zoning Scheme – View from NW














Scale Comparison: Christian Science Plaza Fountain to Brookline Place

Christian Science Plaza Fountain










Scale Comparison: Trinity Church Lawn to Brookline Place

Trinity Church Lawn Size: 20,250 SF










Scale Comparison: Boston Hatch Shell to Brookline Place

Boston Hatch Shell Lawn Size: 52,250 SF









Site Concepts




ZONING SCHEME







THE ROOMS




THE GREEN






Site Concepts




ZONING SCHEME








Scheme 1 - 'The Boulevard'














Massing View from SE




Massing View from NW




Building Façade Relationships





1 NW Perspective



2 SE Perspective





Building Façade Relationships

















Scheme 2 - 'The Rooms'













ARCHITECTS

Massing View from SE



Massing View from NW












Building Façade Relationships





1 NW Perspective




2 SE Perspective





Building Façade Relationships


















Scheme 3 - 'The Green'













Massing View from SE




Massing View from NW









Building Façade Relationships





1 NW Perspective



2 SE Perspective





Building Façade Relationships















Building Edge Typologies



A - active

Small units, many doors (15 - 20 doors per 100 m/328 feet) Large variation in function No blind and few passive units Lots of character in façade relief Primarily vertical façade articulation Good details and materials



B - friendly

Relatively small units (10 - 14 doors per 100 m/328 feet Some variation in function Few blind and passive units Façade relief Many details



D - boring

Large units, few doors (2-5 doors per 100 m/328 feet) Almost no variation in function Many blind or uninteresting units Few or no details



E - inactive

Large units, few or no doors (o - 2 doors per 100 m/328 feet) No visible variation in function Blind or passive units Uniform façades, no details, nothing to look at

"Close Encounters With Buildings," Urban Design International, 2006 Further developed: Gehl Architects - Urban Quality Consultants, 2009



C - mixture

Large and small units (6 - 10 doors per 100 m/328 feet) Modest variation in function Some blind and passive units Modest façade relief Few details

Source: Gehl, Jan. Cities for People. Island Press, 2010. 247. Print.





Building Edge Typologies





Retail (Active)





Office /
Lobby (Active)



Service (Passive)






Landscaped (Passive)






Building Edge Diagram – Scheme 1








Building Edge Diagram – Scheme 2







Building Edge Diagram – Scheme 3








Building Edge Diagrams

Retail (Active)

Office / Circulation (Active)


Service (Passive)

Landscaped (Passive)









FARIANG CAPAGE

PARIANG
CAPAGE
CAPAGE

PARIANG
CAPAGE
CAPAGE

PARIANG
CAPAGE
CAP

Plaza Images















Active and Passive Programming















Outdoor Cafe





Discussion